

ARTISTRY IN WOOD



Hand Scraped

COLLECTION

Popular for hundreds of years,
Hand Scraped hardwood has a distinct
sculpted look and old world feel. Not to be
confused with machine scraped hardwood
that has a repetitious pattern, each board
of Vintage's Hand Scraped hardwood flooring
is unique, scraped and crafted by hand then
stamped on the back by the craftsman.
Hand Scraped floors tend to be more
low maintenance compared to a smooth finish
and help hide every day wear. These floors
are contoured to accentuate the natural beauty
and character of each species.








Hand Scraped

SPECIES & COLORS



Sculpted &Authentic

Every board is one-of-kind, scraped by hand, for a completely unique floor.





Wire Brushed

COLLECTION

Not to be confused with Hand Scraped floors,
Wire Brushed floors are another unique
and beautiful option for a textured floor.

During manufacturing, these floors go through
a rotating wire brush that removes the sapwood
or softer spring grain of the wood, highlighting
the natural richness of each species. This brushing
technique combined with a UV Urethane Oil finish
(synthetic oil) is a perfect mix, as the UV Urethane Oil
enhances the wood, preserving the natural look
and feel of the brushing. These floors tend
to hide dents and scratches extremely well
and everyday wear is blended in. Wire brushing
is very conducive to achieving 2 tone floors,
giving you a European style and look.








Wire Brushed

SPECIES & COLORS



Unique &Defined

Wire Brushed hardwood brings definition and highlights the natural richness of each species and grain pattern.





Etched

COLLECTION

Vintage's proprietary "Etching" process allows the surface of the wood to become more durable and helps mask regular wear and tear. Etching offers a look that will complement modern, old world, and literally all design styles you can dream up.











SPECIES & COLORS















Contemporary & Durable

This one of a kind etching process, similar to wire brushing, provides some durability to minimally grained species like Maple and softer species like Black Walnut.





Smooth

COLLECTION

Transform your home with elegant
Smooth prefinished Hardwood Flooring
by Vintage. Our hardwood has unmatched quality,
beauty and durability. With the smallest
micro-v bevel in the industry, Vintage's
smooth floors are easier to keep clean
and looking beautiful for years. With 5 species,
4 grades, 7 widths and over 90 colors
to choose from, you can easily find your style.










SPECIES & COLORS




Classic &Elegant


Smooth floors have a classic elegance that naturally lends itself to many species.

Available in various species, grades, widths and colors, the possibilities are endless.

Black Oak

Pewter





Taboo

Hand Scraped Herringbone

COLLECTION

SPECIES & COLORS















Product Grade, widths & lengths: White Oak: Solid Sawn®, Charater 5" x 30" (127 mm x 762 mm)

Wire Brushed Herringbone

COLLECTION

SPECIES & COLORS


































Product Grade, widths & lengths:

Red Oak: Northern Solid Sawn™ Select-V 3 1/4" x 14.68" (84 mm x 373 mm), Character 5" x 30" (127 mm x 762 mm) White Oak: Northern Solid Sawn™ Select-V 3 1/4" x 14.68" (84 mm x 373 mm), Character 5" x 30" (127 mm x 762 mm)

European &Architectural

Herringbone is a classic geometrical pattern made from indivudual strips of hardwood and assembled to create the typical V shape.



Smooth Herringbone

COLLECTION

SPECIES & COLORS



Product Grade, widths & lengths:
Red Oak: Northern Solid Sawn™ Estate 3 1/4" x 14.68" (84 mm x 373 mm)
White Oak: Northern Solid Sawn™ Select-V 3 1/4" x 14.68" (84 mm x 373 mm) Character 5" x 30" (127 mm x 762 mm)

Floor structures

At Vintage we are committed to manufacturing a superior quality product that will not only add beauty, character and elegance to any room but will fit your lifestyle. We offer five types of flooring: Pioneered® 3/4" Solid, Crafted® 9/16" Engineered for high humidity areas, high performance Solid Sawn® and Northern Solid Sawn™ 3/4" structured, which is our most stable floor, and our Do-it-yourself easy to install, U-LOC® 7/16". It is vital to maintain proper humidity levels according to the structure you select to minimize expansion and contraction in your floor and maximize the life of your hardwood flooring.



Smallest "micro v" in the industry: Means smaller seams and less dirt build-up

3/4" (19 mm) Solid hardwood

Superior lengths: 10" - 79"* (254 mm - 2007 mm)

4 species, 3 textures, 3 widths, 3 grades and over 50 colors to choose from

Install over a 5/8" plywood or 3/4" OSB subfloor

Relative Humidity Chart



3/4" (19 mm) Solid



* LENGTHS

Estate: 12" - 79" Average 32" (305 mm - 2007 mm Average 813 mm) Select-V: 12" - 79" Average 32" (305 mm - 2007 mm Average 813 mm) Heritage: 10" - 79" Average 30"

(254 mm - 2007 mm Average 762 mm)



^{*} Lengths will vary by widths. See Vintage Dealer for more information.



3 mm Sawn wear lamella

Multi-ply baltic birch core

Hardwood back

Superior lengths: 14" - 72"* (356 mm - 1829 mm)

2 species, 2 widths, 2 grades and over 20 colors to choose from

Relative Humidity Chart



9/16" (13.7 mm) Engineered

ABOVE GROUND LEVEL GROUND LEVEL BELOW GROUND LEVEL

RADIANT HEAT

* LENGTHS

Estate: 14" - 72" Average 38" (356 mm - 1829 mm Average 965 mm)
Select-V: 14" - 72" Average 38"

Select-V: 14" - 72" Average 38" (356 mm - 1829 mm Average 965 mm)

NAIL





Consult Vintage's radiant heat compliance information available at www.vintageflooring.com



* LENGTHS

4 mm Sawn wear lamella

Solid finger lumber core

Hardwood back

Select-V: 18" - 71" Average 38" (457 mm - 1803 mm Average 965 mm) Rift & Qtr Sawn: 14" - 78" Average 38" (356 mm - 1981 mm Average 965 mm)

Character: 18" - 84" Average 44" (457 mm - 2134 mm Average 1118 mm)


Hand Scraped Character: 16" - 87" Average 48" (406 mm - 2210 mm Average 1219 mm)

Hand Scraped Character 10": 24" - 115" Average 58" (609 mm - 2921 mm Average 1473 mm)

Superior lengths: 14" - 87"* (356 mm - 2210 mm)

4 species, 3 textures, 4 widths, 2 grades and over 80 colors to choose from

Relative Humidity Chart



3/4" (19 mm) Structured



RADIANT HEAT



Consult Vintage's radiant heat compliance information available at www.vintageflooring.com



Qtr. Sawn SPF finger core

Hardwood back

Superior lengths: 15" - 83"* (381 mm - 2108 mm)

4 species, 3 textures, 3 widths, 3 grades and over 45 colors to choose from

Relative Humidity Chart



3/4" (19 mm) Structured



RADIANT HEAT

* LENGTHS

Estate: Estate: 15" - 70" Average 33" (381 mm - 1778 mm Average 838 mm) Select-V: 15" - 70" Average 33" (381 mm - 1778 mm Average 838 mm) Character: 20" - 83" Average 42"

(508 mm - 2108 mm Average 1067 mm)

GLUE FLOAT NAIL

Consult Vintage's radiant heat compliance information available at www.vintageflooring.com



Smallest "micro v" in the industry: Means smaller seams and less dirt build-up

2 mm Sawn face lamella

HDF core

Hardwood back

Easy to install locking system

Fixed lengths: 14" - 46" (350 mm - 1172 mm)

3 species and 10 colors to choose from

Install over concrete with Vintage's Premium underpad

* LENGTHS


Estate and Select-V: 13.77", 17.32", 23.07", 28.8", 32.36", 46.14" (350 mm, 440 mm, 585 mm, 732 mm, 822 mm, 1172 mm)

Relative Humidity Chart



7/16" (11 mm) U-LOC





Consult Vintage's radiant heat compliance information available at www.vintageflooring.com

Grades

MORE VARIETY, LONGER LENGTHS, LOCALLY SOURCED

Estate




Estate is Vintage's cleanest and most consistent in color grade. Consists of clear and select boards. Small tight pin knots and natural characteristics allowed.

Select-V



Select-V is a combination of estate and heritage grades, and consists of a blend of heart and sapwood. $\frac{1}{4}$ sound filled knots with some voids are allowed. Splits, checks and knots on bevel are not part of this grade.

Character



Unlimited color variation and naturally occuring characteristics. Unlimited sound filled knots (no limitation of size), checks and splits. Some voids are allowed.

Heritage



Consists of mainly common grade boards. Lots of color variation with unlimited knots (2" of larger). Allows for pinholes, checking, worm holes and shorter average lengths. Some voids allowed.

Species

MAXIMUM CHOICE, FLEXIBILITY AND VALUE



Maple

Hardness: 1450 Available in grades:

Estate, Select-V, Character and Heritage

- · Sapwood is pale to creamy white
- · Heartwood is creamy white to light reddish brown
- Closed subdued grain has a uniform texture; occasionally quilted, fiddleback, curly or bird's eye figuring is found



Red Oak

Hardness: 1290 Available in grades:

Estate, Select-V, Character and Heritage

- Sapwood is white to light brown
- · Heartwood is pinkish reddish brown
- Mostly straight-grained with a coarse texture



Ash

Hardness: 1320

Available in grade: Select-V

- Sapwood is creamy white
- Heartwood is light tan to dark brown
- Bold, straight, moderately open grain with occasional wavy figuring



Black Walnut

Hardness: 1010

Available in grades:

Select-V and Character

- Sapwood is nearly white to tan
- Heartwood ranges from a deep, rich dark brown to a purplish black
- Grain is mostly straight and open, but some boards can have burled or curly grain



Hickory

Hardness: 1820
Available in grades:
Select-V and Character

- Sapwood is white to cream
- · Heartwood is tan to reddish
- · Grain is closed with moderate definition and texture



White Oak

Hardness: 1360
Available in grades:
Select-V and Character

- Sapwood is white to cream
- Heartwood is light brown with some boards having a pinkish tint or a slight grayish cast
- Grain is open with occasional swirls, crotches and burls



White Oak Rift & Quarter Sawn

Hardness: 1360

Available in grade: Select-V

Sapwood is white to cream

Heartwood is light brown with some boards having a pinkish tint or a slight grayish cast

• Straight grained with a fine uniform, smooth and satiny finish



White Oak Fumed (Old Oak & Black Oak)

Hardness: 1360

Available in grade: Character

- Sapwood is tan to light brown, strip sap is cream to tan
- · Heartwood is light brown to dark brown
- Grain is open with occasional swirls, crotches and burls

Gloss Levels

ULTRA MATTE TO SEMI-GLOSS, EASY CARE AND MAINTENANCE

SEMI-GLOSS

Traditional Semi-Gloss finish is the most reflective finish and is only offered on smooth surfaces. This gloss tends to be more formal.

Semi-Gloss is offered on all Pioneered®, Crafted® and selected Northern Solid Sawn™ products.

PEARL

A modern low gloss finish that helps to hide everyday wear and tear such as scratches and dents.

Pearl is offered on all Pioneered®, Crafted®, Hand Scraped, wide plank Solid Sawn®, Northern Solid Sawn™ and U-LOC® products.

ARMOUR-KOTE

Vintage's Semi-Gloss and Pearl comes with 9 coats of polyurethane, with Aluminum Oxide added for strength and durability.

25 YEARS residential wear warranty 3 YEARS commercial wear warranty


UV URETHANE OIL

A European feel of an oiled finish, without the maintenance. The lowest gloss level is excellent for high traffic areas. UV Urethane Oil (synthetic urethane oil) is standard on Wire Brushed, Etched and several Solid Sawn®, Northern Solid Sawn™ & Hand Scraped products.

Vintage's UV Urethane Oil finish (synthetic urethane) uses ground breaking technology to provide a look that mimics oxidative penetrating oil, yet offers some attributes of a urethane finish, with some repair characteristics of an oil finish.

10 YEARS residential wear warranty 1 YEAR commercial wear warranty

SPECIES HARDNESS CHART



Consider the hardness of the species you select as some species may be more adaptable for high traffic areas.

Accessories

MATCHING TRIMS, EASY MAINTENANCE AND CLEANING TOOLS

TRIMS

Reducers, nosings, bi-level reducers and t-moldings are also available in a variety of colors and species to complete your Vintage hardwood floor.



MATCHABLE MOLDINGS

Matchable moldings and vents provide the best possible match for all of Vintage's textured floors by using Vintage's actual flooring.



Matchable Euro Nosing



Matchable Traditional Nosing



Matchable Nosing showing joint



Matchable Reducer



Matchable T-Molding



Matchable vent

MAINTENANCE & REPAIR

Touch up sticks, stain and refresher Oil



Wood stain

Penetrating water-based stain formulated to reduce overlap and gives you the added convenience of water cleanup. Once dry, any sealer may be applied.

CLEANING

Prefinished hardwood cleaning system

Kit includes washable microfiber mop head and 700 ml bottle of cleaner. Cleaner is made of biodegradable natural essential oils. Leaves no streaks or residue. Formulated for prefinished hardwood floors and is safe for families, pets and the environment.



Oil

Innovative, waterborne maintenance and refresher for your Vintage UV Urethane Oiled floor. Solvent-free and soap free, easy to use.



Touch-up kit

Touch ups are quick and easy with the Vintage repair kit. Markers and fil-stiks are used to fill in nicks and scratches. Use matching top coat if required. Available in all standard Vintage colors.



Replacement mop cover



Cleaning kit

Warranty

All Pioneered® Solid, Crafted® Engineered, Solid Sawn® Structured,
Northern Solid Sawn™ Structured and U-LOC® have a lifetime Structural
and Stability warranty as long as relative humidity ranges are maintained
as per warranty of product

LIFETIME stability warranty

LIFETIME structural warranty

Pearl and Semi-Gloss Finishes


25 YEARS residential wear warranty 3 YEARS commercial wear warranty

UV Urethane Oil Finish

10 YEARS residential wear warranty 1 YEAR commercial wear warranty

See warranty brochure for more information.
Consult your authorized Vintage dealer or our website for complete warranty information

RELATIVE HUMIDITY STABILITY CHART



Naturally Green

THE VINTAGE COMMITMENT

The Vintage Commitment... to manufacture a superior quality, naturally green product with the best value, surpassed by none in the industry.

Yours to enjoy for a lifetime.

Using state-of-the art technology, our specialized team of wood experts continuously strives to offer our customers the best quality product and finish in the market. Rigorous quality control measures and continuous improvements to our manufacturing process are undertaken to ensure our systems meet the toughest standards. Our Pearl and Semi Gloss floors are finished with our specially formulated Armour-Kote® aluminum oxide finish, guaranteed to deliver 25 years of lasting protection and beauty.

All Vintage stains, pigments and dyes are waterborne, heavy-metal and formaldehyde free. Sealers and topcoats are 99% VOC free.

Vintage ensures manufacturing is in compliance with all applicable laws in order to minimize harmful effects of manufacturing on the environment. We comply with the Lacey-Act to ensure all of our domestic and exotic wood species being imported and exported are protected. In compliance with this act, Vintage supplies an import/export declaration with each shipment. Our Pioneered® structure offers three grades of FSC® certified Maple and Red Oak which is available in 27 colors, 3 grades and 3 widths.





Look for FSC® certified products





The mark of responsible forestry



Vintage Hardwood Flooring 409 Evans Ave., Toronto, ON M8Z 1K8

T.: 416 252-0962 TOLL FREE: 877 256-0231

Visit vintageflooring.com







